


## DIVERSION/BERM DETAIL

*DIVERSION A-A'*



### TYPICAL DIVERSION/BERM CROSS SECTION

CHANNEL LINING TO CONSIST OF A MIXTURE OF BERMUDA AND FESCUE GRASSES

Note: The berm material is to consist of a clay material. The Material will be placed in 6 inch lifts and compacted to 95% of the standard proctor density. The standard proctor density will be determined prior to the placement of the material.

*ATTACHMENT III-B-3*



**Twin Pines, LLC**

74 Industrial Parkway  
P.O. Box 621 Jasper, Alabama 35502  
(205) 295-0995 Office (205) 295-0799 Fax

### **Typical Diversion Berm Detail**


DRAWN BY: J.J.H.  
DWG. NAME: BRMTYP1

DATE: 1-23-97

APPROVED BY: S.R.I.

SCALE: NONE

# DIVERSION DITCH



GRASS LINING TO CONSIST OF A MIXTURE OF FESCUE, BERMUDA AND SERICEA GRASSES.



**Twin Pines, LLC**  
 74 Industrial Parkway  
 P.O. Box 621 Jasper, Alabama 35502  
 (205) 295-0995 Office (205) 295-0799 Fax

## TYPICAL DIVERSION CROSS-SECTION

DRAWN BY: P.T.O.	DATE: 11-06-02
DWG. NAME: TYPDIVDITCH	
APPROVED BY: S.R.I.	SCALE: NONE